


New York Seed Improvement Project
103C Leland Lab Cornell University
Ithaca, NY 14853



New York Certified Seed Potatoes 2021 Crop Directory



New York Certified Seed Potatoes 2021 Crop Directory

Table of Contents

Seed Potato Certification in New York.....	1
The Foundation Seed Program.....	3
Potato Varieties Certified in 2021.....	4
Grower Info and Varieties Grown.....	10
Variety/Grower/Classification/Acres.....	12
NY Seed Potato Certification Personnel.....	20
NYS Dept. of Agriculture and Markets Personnel.....	21

New York Seed Improvement Project
103C Leland Lab
Cornell University
Ithaca, NY 14853

Philip M. Atkins, Manager
Email: pma3@cornell.edu

607 - 255-9869 Telephone
607 - 255-9048 FAX

**POTATO CERTIFICATION
IN NEW YORK**

The primary objectives of seed potato certification are to maintain and make available to the public dependable sources of top quality seed. The New York Certification program, which originated in 1913, represents a voluntary agreement between the seed grower and the certifying agency. The NYS College of Agriculture & Life Sciences (CAL S) at Cornell University, designated by the Commissioner of Agriculture as the official seed certifying agency in the state of New York, works in cooperation with the NYS Department of Agriculture & Markets in carrying out the objectives of seed certification. Program administration and record keeping are conducted by the New York Seed Improvement Project in CAL S' Section of Plant Breeding and Genetics.

The New York Certification program is a limited generation program with two classes of certified seed, "Foundation" and "Certified". The data listed in this directory represent seed potato acreage *entered* for certification this year. In order to be eligible for sale as certified seed, seed potatoes must meet the minimum requirements described in the standards for seed potato certification (1 NYCRR Parts 106 and 107). These requirements include:


- Use of pretested and approved seed stocks.
- A minimum of 2 field inspections.
- A bin inspection of tubers after harvest.
- A winter test.
- A Federal-State shipping point inspection to ensure conformity with New York certified seed grades.

Only seed meeting all of the requirements for certification and bearing official tags or certificates issued by the certification agency may be represented for sale as "Foundation" or "Certified" seed.

<u>TOLERANCES FOR CERTIFIED SEED *</u>			
<u>Factor</u>	<u>Summer</u>	<u>Winter Test</u>	
		<u>F</u>	<u>C</u>
Leaf roll.....	1.0	0.5	5.0
Mosaic	1.0	0.5	5.0
Spindle Tuber.....	0.1	0.5	5.0
Total Virus and Spindle Tuber.....	2.0	0.5	5.0
Fusarium and Verticillium Wilt	5.0	--	--
Varietal Mixture.....	0.25	0.25	0.25
Ring Rot	0.0	0.0	0.0

*Seed lots passing inspection in New York do not exceed the tolerances listed based on visual inspections. Seed lots are classified as Foundation (F) or Certified (C) based on winter test results.

The seed classes designated by generation (G) of production on a seed grower's farm are shown below.



* U = Uihlein Farm source noted for first 3 generations;

** Other sources will be designated by appropriate field generation depending upon source. ALL sources must originate from pathogen-tested, tissue culture sources and be G5 or higher seed class to be eligible for entry at planting. All seed lots must be winter tested.

THE FOUNDATION SEED PROGRAM

As of June 30, 2020, the Uihlein Farm ended all seed potato activities and closed.

The Foundation Seed Potato Program will continue to support New York agriculture from its location in Ithaca. The laboratory on the Cornell campus has always been the entry point for potato varieties destined for the Uihlein Farm in Lake Placid. The Ithaca lab is where all of the initial tissue culture and disease testing work is performed. Beginning in 2020, all tissue culture work will be carried out at the Ithaca lab where we will continue to grow tissue culture plants of new potato varieties that are adapted for use in New York.

-- DISCLAIMER OF WARRANTY --

The New York Seed Improvement Project, the New York State College of Agriculture and Life Sciences of Cornell University, and the New York State Department of Agriculture and Markets make no expressed or implied warranties or representations as to the freedom from disease or to the quality or quantity of the crop produced from certified seed, including merchantability or fitness for a particular purpose. The only representation is that the seed potatoes were produced and inspected under the seed potato certification rules and regulations of the State of New York (1 NYCRR Parts 106 and 107).

POTATO VARIETIES & SELECTIONS ENTERED FOR CERTIFICATION IN 2021

Adirondack Blue	French Fingerling	NY149
Adirondack Red	Genesee	NY161
Algonquin (NY141)	Goldrush	NY163
AmaRosa	HZC-07-1356	NY164
Amey	Ashley)	NY165
Andover	Jennifer	NYE11-45
ATND99331-2-Pinto Y	Juliette	Papa Cacho
Austrian Crescent	Katahdin	Peter Wilcox
Babylou	Kennebec	Prada
Baltic Rose	Keuka Gold	Purple Majesty
Banana	King Harry	Reba
Belmonda	La Ratte	Red Maria
Blackberry	Lady Liberty (NY152)	Red Pontiac
Brodie (NY140)	Lamoka	Redsen
Carola	Lehigh	Sebago
Castile	Maggie (HZC-07-6099)	Snowden
Charlotte	Magic Molly	Soraya
Chieftain	Natascha	Superior
Chippewa	NorDonna	Upstate Abundance
Dark Red Norland Z	Norland-Dark Red	Waneta
Eva	NY79	Yukon Gold
Fenway Red	NY118	

VARIETY SELECTIONS DESCRIPTIONS

Adirondack Blue. Early to mid-season specialty tablestock. Tubers have dark purple skin and purple flesh. Scab susceptible, Cornell University.

Adirondack Red. Specialty tablestock. Tubers are long with reddish-purple skin and red flesh. Susceptible to silver scurf. Scab reaction similar to Atlantic, Cornell University.

Algonquin (NY141). Mid season tablestock with attractive tubers. Marketable yields have exceeded Atlantic in Cornell trials. Early yields exceed Superior. Pickout due to knobby tubers has been 2-3%. Low frequency of internal defects. Tubers remain white after boiling and do not slough. Tuber dormancy is two weeks longer than Atlantic. Moderately resistant to common scab. Resistant to golden nematode (Ro1).

AmaRosa. Mid-season fingerling potato with red skin and red flesh. Tubers are smooth with well distributed, shallow eyes. Very high culinary quality; ideal for microwaving, frying or baking. Retains color when chipped. Can skin during harvest. Brown center and hollow heart are rare. Medium storage capability and medium to high fertility requirements. Susceptible to Metribuzin. PVP Certificate #201100297, State of Oregon.

Amey. Late maturity, white-fleshed russet. Tubers oblong, occasionally long. Excellent baking quality, potential processor. Resistant to race A of the golden nematode, Verticillium wilt, powdery scab, and common scab. Susceptible to potato leafroll virus, late blight, and early blight.

Andover. Early season tablestock and chipping variety. Tubers spherical with slightly textured skin. Good cooking qualities and specific gravity. Excellent chip color from 45° storage. Relatively free from internal defects. Resistant to scab and golden nematode.

Austrian Crescent. Late season, specialty tablestock. Long, crescent-shaped fingerling tubers with smooth, tan skin and light yellow flesh. Resistances and susceptibilities are unknown.

Banana. Late maturing, specialty tablestock. Tubers are small, banana-shaped with pale yellow skin and flesh. Good scab resistance. Susceptible to PVY.

Brodie (NY 140). Late season, dual purpose chip and tablestock. Large oblong tubers, white skin and white flesh. Excellent yielding ability. Brodie is resistant to the golden nematode races Ro1 and Ro2.

Carola. Mid-season specialty tablestock. Moderate to heavy set with good yield of medium to large oblong tubers with golden skin and pale yellow flesh. Excellent cooking quality. Short to medium dormancy. Good scab resistance, moderate resistance to tuber late blight.

Castile. Full season table or processing. Good yield of medium to large tubers that are oblong, with medium shallow eyes, white skin and flesh. Specific gravity equal to Superior. Resistant to golden nematode, pink eye, and Fusarium.

Chieftain. Mid-season tablestock. Tubers round to oblong, shallow eyes, attractive red skin. Yield >Norland. Specific gravity similar to Norland. Moderately resistant to scab.

Chippewa. Medium-early tablestock. Tubers white, with smooth skin, white flesh, shallow eyes, and oval flattened shape. Heavy setter and small tubers under dry conditions. Scab susceptible.

Eva. Mid-season tablestock and chipstock. Very nice plant type. Tubers are medium in size, round in shape, with very bright blemish-free skin and are almost free from pickouts and internal defects. Trial yields have been 116% of Atlantic, 105% of Katahdin and 91% of Allegany. Tuber dormancy is six weeks longer than Katahdin and Monona. Resistant to early blight, golden nematode Ro1, PVY and PVX.

French Fingerling. Specialty tablestock. Fingerling with pink skin and yellow flesh. Resistances and susceptibilities unknown.

Genesee. Late maturing tablestock. Yield and specific gravity similar to Monona. Tubers round, white, bright skin, white flesh. Resistant to golden nematode, early blight and scab.

Goldrush. Midseason fresh market and processing. Oblong to long russet with very white flesh. High yielding. Resistant to hollow heart, verticillium wilt and silver scurf. U.S. Patent No. 5,434,343, NDSU Research Foundation.

Juliette. Early tablestock. Good yield of long oval, yellow skinned and fleshed tubers. Resistance to common scab and golden nematode. PVP #200100104, GERMICOPA SAS.

Katahdin. Late season tablestock. Yield moderately high and specific gravity > Monona. Tubers round, shallow eyes, smooth buff skin and white flesh. Resistant to PVY and PVA, potato leafroll virus. Drought tolerant.

Kennebec. Mid-season to late chip and tablestock. Plants very large, blossoms white. Tubers white, elliptical to oblong, with shallow eyes. Sets few tubers so should be spaced closely. Subject to sunburn, second growth, and growth cracks under adverse conditions. Susceptible to scab. Field resistant to late blight.

Keuka Gold. Mid-late season tablestock, possibly chipstock from 50° storage. Pale yellow flesh, scurfy skin. Very high yields of large round tubers, very few pickouts. Small percentage of internal defects upstate, but internal necrosis on Long Island. Scab resistance like Superior. Specific gravity like Katahdin. Resistant to golden nematode.

La Ratte. Late maturity, specialty tablestock fingerling with smooth buff skin and pale yellow flesh. Resistances and susceptibilities unknown.

Lady Liberty (NY152). Late season chipstock producing smaller round-shaped tubers with netted skin. Excellent chip color from cold storage. Moderate to good resistance to common scab. Plant variety protection applied for.

Lamoka (NY139). Late maturity chipstock. Large tubers with attractive shape and moderately textured skin. Yields similar to Atlantic. Specific gravity has averaged 0.01 less than Atlantic. Tuber dormancy is one week longer than Atlantic. Good chip color from 44F storage. Moderate resistance to common scab. Resistant to golden nematode (Ro1). U.S. Plant Variety Protection (PVP-1994) Certificate #200900364, Cornell University.

Lehigh (NY126). Mid-late season tablestock. Large tubers with scurfy skin and appealing yellow flesh. Good yields with few pickouts and low levels of internal defects. Good boiling quality. Attractive vines with white flowers. Scab resistance is similar to Pike. Resistant to golden nematode (Ro1).

NorDonna. Medium maturity tablestock. Dark red, oval to round tubers with shallow eyes. White flesh. Medium-high yield. Low incidence of hollow heart. Scab tolerant. PVP #9600243, NDSU Research Foundation.

Norland. Early-medium season tablestock. Good yield and low specific gravity. Tubers are round to flesh. Resistant to common scab, leaf roll, PVA, PVY, and wart. "Red" and "Dark Red" strains of Norland possess similar characteristics and have been selected for tuber skin color. These strains are not distinguishable by normal inspection procedures.

NY79. Early tablestock. Early yields equal to Superior, full season yields equal to Monona, and low specific gravity. Tuber large, round, white flesh, with a white scurfy skin. Resistant to scab and golden nematode.

NY118. Late season tablestock. Tubers are light red with slightly textured skin. Yield, set, and size is similar to Chieftain. Dormancy and scab resistance better than Chieftain. Resistance to golden nematode (Ro1).

NY149. Mid-late season yellow-fleshed tablestock with slightly-textured skin and pink eyes.

NY161. Mid-late season, yellow-fleshed tablestock with purple splashes on the skin. Moderate resistance to common scab. Susceptible to the golden nematode.

NY E11-45. Mid to late season chip and tablestock. High yielding. Tuber somewhat flattened in shape, bright white skin and flesh. Chips from 45 degree storage. Resistant to golden nematode.

Peter Wilcox (B1816-5). Mid-season specialty tablestock. Tubers oblong to round with smooth purple skin and yellow flesh. Medium gravity with small tuber size. Yields low to moderate with US#1 yields similar to Dark Red Norland in ME trials. Susceptibility to skinning may be a problem. Susceptible to silver scurf. Very good for boiling and roasting.

Purple Pelisse (POR01PG16-1) is a mid-season specialty potato with purple skin and dark purple flesh. An excellent tasting colored fingerling, high in antioxidants, ideal for fresh fingerling market with few tuber defects. PVP Certificate #201000299, State of Oregon.

Reba. Mid-late season chip and tablestock. High yields with specific gravity slightly greater than Monona. Tubers early sizing, large, white skin and flesh. Resistant to golden nematode and scab.

Red Maria (NY129). Late season, red-skinned tablestock. High yields of large, round tubers with shallow eyes and textured skin. Yield, dormancy better than Chieftain. Low frequency of pickouts and internal defects. Good boiling quality. Dark green vines with red/purple flowers. Scab resistance is similar to Pike. Resistant to golden nematode (Ro1).

Red Pontiac. Mid-season tablestock, high yielding, medium specific gravity. Tubers round to oblong, medium deep eyes, dark red skin, sometimes netted, white flesh. Drought tolerant. Susceptible to PVY, bruising, scab.

Redsen. Medium early, tablestock. Medium yield and specific gravity. Tubers round to oblong, shallow eyes, bright red skin, white flesh. Retains red color in storage. Resistant to late blight and scab. Susceptible to Fusarium dry rot, bruising, and seed piece decay.

Sebago. Very late season table and chipstock. High yielder, medium gravity. Tubers round, shallow eyes, smooth buff skin, and white flesh. Resistant to potato viruses A, Y, and X, early blight, and net necrosis.

Snowden. Late season chipper and tablestock. High yielding, high specific gravity. Chips out of 45°. Tubers round-oval, medium shallow eyes, buff skin, white flesh. Susceptible to scab.

Soraya. Medium early, high yielding tablestock with yellow skin and flesh. Big, oval tubers and shallow eyes. Good resistance against internal bruising. Moderately resistant against leaf roll, leaf blight and tuber blight. Resistance to nematodes Ro1 Ro4.

Superior. Early tablestock. Medium yield and specific gravity. Tubers round, medium shallow eyes, buff lightly flaky russet skin, white flesh. Resistant to scab. Susceptible to late blight, PVY, and Verticillium wilt.

Upstate Abundance (NY150). Niche-market, early season white tablestock. Produces many small tubers with bright white skin. Resistant to race Ro1 of the golden nematode. Some resistance to common scab and late blight.

Waneta. (NY138) Late maturity chipstock. Large tubers with attractive shape and moderately textured skin. In Cornell trials, yield has been comparable to Atlantic, while gravity has averaged 0.01 less than Atlantic. Few pickouts, but large tubers have shown 5-10% hollow heart. Very good chip color from 44 degree storage. Dormancy is six weeks longer than Atlantic. Less susceptible to blackspot than Snowden. Moderately resistant to common scab. Resistant to the golden nematode (Ro1). U.S. Plant Variety Protection (PVP-1994) Certificate #200900363, Cornell University.

Yukon Gold. Mid-season tablestock. High yield and high specific gravity. Tubers oval, shallow pink eyes, yellowish-buff skin, and light yellow flesh. Resistant to potato virus A, and leafroll. Susceptible to scab.

NOTICE:

Variety/Selection Descriptions.

The descriptions of varieties and selections in this directory are provided for informative purposes only and are not intended to act as a substitute for official variety descriptions. Specific inquiries regarding agronomic characteristics or disease resistances should be directed to the variety developer/owner or your local Cooperative Extension Agent.

Certification of Varieties/Selections.

This directory may list selections/strains of certain varieties. These strains/selections may possess characteristics that are different from the variety as originally described by the developer. However, these strains/selections cannot normally be distinguished from the original variety using conventional certification methods or laboratory testing, and any representation as to selection/strain is the sole responsibility of the seller.

Intellectual Property Rights.

Certain varieties may be protected under plant variety protection (PVP), patent, or other intellectual property laws. Production of these varieties may require a license or other permission of the variety owner and it is the responsibility of producers to ensure that appropriate permissions are obtained. Any information provided in this directory regarding the protection of specific varieties is provided for informative purposes only and is not intended to act as a substitute for official sources of such information.

2021 Grower Information

Caskey & Brehm Farms Kurt Brehm
8696 Tabor Corners Road Box 547
Wayland NY 14572
585-315-8746

Lady Liberty, Lamoka, Snowden

Childstock Farms, Inc. Ralph Child
156 Child Road, Malone, NY 12953
518-483-1239 518-483-4820 FAX

E-mail: rchild@childfarm.net

ATND99331-2 Pinto Y, Algonquin, AmaRosa,
Austrian Crescent, BabyLou, Baltic Rose,
Banana, Belmonda, Brodie, Constance,
Fenway Red, HZC-07-1356 (Ashley), Jennifer,
Juliette, Lady Liberty, Lamoka, Lehigh, Maggie,
Natascha, NY163, NY165, Prada, Purple Majesty,
Reba, Red Maria, Snowden, Soraya,
Upstate Abundance, Waneta

Juniper Hill Farm Adam Hainer
82 Loukes Lane, Wadhams, NY 12993
518-524-5652

E-mail: juniperhillfarm@gmail.com

Upstate Abundance

M & W Seed Company
Michael Murphy & Peter Wallace
139 Child Road, Malone, NY 12953
585-683-6105; 585-683-3228

E-mail: mjm679@cornell.edu;
petewallace80@gmail.com

Lady Liberty

Milkweed Tussock Tubers

Catherine Bennet
1190 State Hwy 184, Heuvelton, NY 13654
315-777-7245

E-mail: milkweedtussocktubers@gmail.com

Papa Cacho, Upstate Abundance

Pryputniewicz, Andrew
2293 Rte 12, Waterville, NY 13480
315-841-8426 Phone & FAX

E-mail: seedpotato@frontier.com

*Algonquin, Andover, Carola, Charlotte,
Chieftain, Chippewa, Genesee, Goldrush,
Katahdin, Keuka Gold, Lehigh, NorDonna,
NY118, NY149, NY161, NY164, NYE11-45,
Peter Wilcox, Reba, Superior, Yukon Gold*

Pryputniewicz, Bruce H.
2534 Doolittle Rd, Sauquoit, NY 13456
315-839-5301 Phone & FAX

E-mail: bp1potato@frontiernet.net

*Adirondack Blue, Adirondack Red,
Algonquin, Amey, Belmonda,
Carola, Castile, Chieftain, Chippewa,
Dark Red Norland Z2, Eva, French Fingerling,
Genesee, Katahdin, Kennebec, Keuka Gold,
Lehigh, NorDonna, Norland-Dark Red,
NY79, NY118, Red Maria, Red Pontiac,
Sebago, Superior, Yukon Gold*

Tucker Farms, Inc.
PO Box 8, Gabriels, NY 12939
518-637-1230 518-578-8436

E-mails: adkspud@hotmail.com

Potatofarmerff5@gmail.com

Website: www.tuckertaters.com

*Adirondack Red, Blackberry, Brodie,
King Harry, Lamoka, Lehigh, Magic Molly,
Peter Wilcox, Reba, Red Maria, Soraya, Superior,
Upstate Abundance*

<u>VARIETY</u>	<u>Grower</u>	<u>Classification</u>	<u>Acreage</u>
ADIRONDACK BLUE			
	PRYPUTNIEWICZ, BRUCE	FG1	0.010
		FG2	0.100
		FG4	<u>0.300</u>
			0.410
ADIRONDACK RED			
	PRYPUTNIEWICZ, BRUCE	FG1	0.010
		FG2	0.020
		FG4	0.100
	TUCKER FARMS	FG4	<u>0.200</u>
			0.330
ALGONQUIN (NY141)			
	CHILDSTOCK FARMS INC.	FG1	0.566
		FG2	3.500
		FG3	12.150
	PRYPUTNIEWICZ, ANDREW	FG1	0.010
		FG2	0.950
		FG4	4.700
	PRYPUTNIEWICZ, BRUCE	FG1	0.020
		FG2	0.300
		FG3	<u>0.900</u>
			23.096
AMAROSA			
	CHILDSTOCK FARMS INC.	FG2	1.580
AMEY			
	PRYPUTNIEWICZ, BRUCE	FG2	0.200
		FG3	<u>0.300</u>
			0.500
ANDOVER			
	PRYPUTNIEWICZ, ANDREW	FUG2	2.000
ATND99331-2-Pinto Y			
	CHILDSTOCK FARMS	FG1	0.221
AUSTRIAN CRESCENT			
	CHILDSTOCK FARMS	FUG2	2.970
BABYLOU			
	CHILDSTOCK FARMS INC	FG2	1.500
BALTIC ROSE			
	CHILDSTOCK FARMS INC.	FG2	1.210
BANANA			
	CHILDSTOCK FARMS INC	FG2	0.560

<u>VARIETY</u>	<u>Grower</u>	<u>Classification</u>	<u>Acreage</u>
BELMONDA			
	CHILDSTOCK FARMS INC.	FG1	0.170
		FG2	2.070
		FG3	8.200
	PRYPUTNIEWICZ, BRUCE	FG4	<u>0.800</u>
			11.240
BLACKBERRY			
	TUCKER FARMS INC.	FG3	0.200
BRODIE (NY140)			
	CHILDSTOCK FARMS INC.	FG1	0.180
		FG2	0.800
	TUCKER FARMS INC.	FG5	<u>2.700</u>
			3.680
CAROLA			
	PRYPUTNIEWICZ, ANDREW	FUG2	0.200
	PRYPUTNIEWICZ, BRUCE	FUG2	0.200
		FUG3	<u>1.200</u>
			1.600
CASTILE			
	PRYPUTNIEWICZ, BRUCE	FUG2	0.100
		FUG3	<u>0.400</u>
			0.500
CHARLOTTE			
	PRYPUTNIEWICZ, ANDREW	FUG2	0.100
CHIEFTAIN			
	PRYPUTNIEWICZ, ANDREW	FUG2	0.100
	PRYPUTNIEWICZ, BRUCE	FG1	0.010
		FUG2	0.200
		FUG3	<u>1.200</u>
			1.510
CHIPPEWA			
	PRYPUTNIEWICZ, ANDREW	FUG2	0.100
	PRYPUTNIEWICZ, BRUCE	FUG2	0.100
		FUG3	<u>0.400</u>
			0.600
CONSTANCE			
	CHILDSTOCK FARMS INC.	FG1	0.169
DARK RED NORLAND Z2			
	PRYPUTNIEWICZ, BRUCE	FG1	0.010
EVA			
	PRYPUTNIEWICZ, BRUCE	FG1	0.010
		FUG2	0.800
		FG4	<u>0.100</u>
			0.910

VARIETY	Grower	Classification	Acreage
FENWAY RED (HZC-07-6040)			
	CHILDSTOCK FARMS INC.	FG1	0.084
		FG2	0.670
		FG3	8.000
		FG4	<u>9.520</u>
			18.274
FRENCH FINGERLING			
	PRYPUTNIEWICZ, BRUCE	FUG2	0.050
		CG4	<u>0.300</u>
			0.350
GENESEE			
	PRYPUTNIEWICZ, ANDREW	FG1	0.300
		FG4	6.300
	PRYPUTNIEWICZ, BRUCE	FG1	0.020
		FUG2	0.200
		FUG3	1.800
		FG4	<u>1.700</u>
			10.320
GOLDRUSH			
	PRYPUTNIEWICZ, ANDREW	FUG2	0.400
HZC-07-1356 (Ashley)			
	CHILDSTOCK FARMS INC.	FG1	0.084
JENNIFER			
	CHILDSTOCK FARMS INC.	FG3	3.040
JULIETTE			
	CHILDSTOCK FARMS INC.	FUG2	0.600
		FUG3	<u>3.500</u>
			4.100
KATAHDIN			
	PRYPUTNIEWICZ, ANDREW	FUG2	0.200
	PRYPUTNIEWICZ, BRUCE	FUG2	0.010
		FG4	<u>0.300</u>
			0.510
KENNEBEC			
	PRYPUTNIEWICZ, BRUCE	FUG2	0.010
		FUG3	<u>1.300</u>
			1.310

VARIETY	Grower	Classification	Acreage
KEUKA GOLD			
	PRYPUTNIEWICZ, ANDREW	FG1	0.050
		FG4	0.500
	PRYPUTNIEWICZ, BRUCE	FG1	0.010
		FUG2	0.300
		FUG3	<u>0.900</u>
			1.760
KING HARRY			
	TUCKER FARMS INC.	FG4	0.600
La RATTE			
	CHILDSTOCK FARMS INC.	FUG2	2.900
LADY LIBERTY (NY152)			
	CASKEY & BREHM	CG3	12.000
	CHILDSTOCK FARMS INC.	FG1	1.788
		FG2	17.870
		FG3	49.250
	M&W SEED COMPANY	FUG2	<u>1.100</u>
			82.008
LAMOKA			
	CASKEY & BREHM	CG6	14.000
	CHILDSTOCK FARMS INC.	FG1	1.808
		FG2	6.250
		FG3	19.700
		FG4	40.030
	TUCKER FARMS INC.	FG3	0.500
		FG6	<u>5.500</u>
			87.788
LEHIGH			
	CHILDSTOCK FARMS INC.	FG1	0.413
		FG3	2.870
		FG4	10.580
	PRYPUTNIEWICZ, ANDREW	FG1	0.400
		FG2	1.200
		CG4	8.300
	PRYPUTNIEWICZ, BRUCE	FUG3	0.500
	TUCKER FARMS INC.	FG4	1.000
		CG6	<u>7.900</u>
			33.163

<u>VARIETY</u>	<u>Grower</u>	<u>Classification</u>	<u>Acreage</u>
MAGGIE (H2C-07-6099)			
	CHILDSTOCK FARMS INC.	FG1	0.090
		FG2	<u>1.090</u>
			1.199
MAGIC MOLLY			
	TUCKER FARMS INC.	CG5	0.480
NATASCHA			
	CHILDSTOCK FARMS INC.	FG1	0.093
		FG2	0.440
		FG3	3.550
		CG4	<u>2.810</u>
			6.893
NORDONNA			
	PRYPUTNIEWICZ, ANDREW	FUG2	1.400
	PRYPUTNIEWICZ, BRUCE	FUG2	0.200
		FUG3	<u>0.800</u>
			2.400
NORLAND, Dark Red			
	PRYPUTNIEWICZ, BRUCE	FUG2	1.300
NY79			
	PRYPUTNIEWICZ, BRUCE	FUG2	0.100
		FUG3	<u>0.300</u>
			0.400
NY118			
	PRYPUTNIEWICZ, ANDREW	FG1	0.700
	PRYPUTNIEWICZ, BRUCE	FUG1	0.020
		FUG2	0.200
		FUG3	2.000
		CG4	<u>0.900</u>
			3.820
NY149			
	PRYPUTNIEWICZ, ANDREW	FG1	0.950
		FUG2	<u>0.100</u>
			1.050
NY161			
	PRYPUTNIEWICZ, ANDREW	FUG2	1.200
NY163			
	CHILDSTOCK FARMS	FG1	2.005
		FG2	<u>7.200</u>
			9.205
NY164			
	PRYPUTNIEWICZ, ANDREW	FUG2	0.050

<u>VARIETY</u>	<u>Grower</u>	<u>Classification</u>	<u>Acreage</u>
NY165			
	CHILDSTOCK FARMS INC.	FG1	1.300
		FUG2	0.700
		FG2	<u>0.700</u>
			2.700
NYE11-45			
	PRYPUTNIEWICZ, ANDREW	FUG2	0.700
PAPA CACHO			
	MILKWEED TUSOCK TUBERS	CG3	0.050
PETER WILCOX			
	PRYPUTNIEWICZ, ANDREW	FUG1	0.200
	TUCKER FARMS INC.	FG4	<u>1.500</u>
			1.700
PRADA			
	CHILDSTOCK FARMS	FG1	0.050
		FG2	<u>0.460</u>
			0.510
PURPLE MAJESTY			
	CHILDSTOCK FARMS INC.	FG1	1.510
REBA			
	CHILDSTOCK FARMS INC.	FG1	0.054
		FUG2	15.230
		FG2	0.390
		FG4	4.100
	PRYPUTNIEWICZ, ANDREW	FG1	0.150
		FG2	0.700
		CUG3	3.000
	TUCKER FARMS INC.	CG5	<u>5.100</u>
			28.724
RED MARIA			
	CHILDSTOCK FARMS INC.	FG1	0.578
		FG2	0.220
	.	FUG2	1.500
	.	FUG3	10.260
		FG4	6.260
	PRYPUTNIEWICZ, BRUCE	FUG2	0.300
		FUG3	0.900
	TUCKER FARMS INC.	FG3	0.500
		CG5	<u>3.300</u>
			23.818

VARIETY Grower Classification Acreage

RED PONTIAC

PRYPUTNIEWICZ, BRUCE	FUG2	0.100
	FUG3	<u>0.400</u>
		0.500

SEBAGO

PRYPUTNIEWICZ, BRUCE	FUG2	0.100
	FUG3	<u>0.400</u>
		0.500

SNOWDEN

CASKEY & BREHM	CG6	11.000
CHILDSTOCK FARMS INC.	FG3	<u>45.410</u>
		56.410

SORAYA

CHILDSTOCK FARMS INC.	FG2	3.790
TUCKER FARMS INC.	FG3	<u>0.500</u>
		4.290

SUPERIOR

PRYPUTNIEWICZ, ANDREW	FUG2	0.100
PRYPUTNIEWICZ, BRUCE	FG1	0.010
	FUG2	0.100
	FUG3	0.700
TUCKER FARMS INC.	CG5	<u>6.000</u>
		6.910

UPSTATE ABUNDANCE (NY150)

CHILDSTOCK FARMS INC.	FG1	0.096
	FUG2	3.110
	FG4	2.320
JUNIPER HILL FARM	CG3	0.500
	CG4	1.000
MILKWEED TUSOCK TUBERS	CG5	0.050
TUCKER FARMS INC.	FUG3	<u>4.800</u>
		11.876

WANETA

CHILDSTOCK FARMS INC.	FG1	1.808
	FG2	7.500
	FG3	36.780
	FG4	<u>30.610</u>
		76.698

VARIETY Grower Classification Acreage

YUKON GOLD

PRYPUTNIEWICZ, ANDREW	FG1	0.050
	CG3	2.100
PRYPUTNIEWICZ, BRUCE	FG1	0.020
	FUG2	<u>0.020</u>
		2.370

**NEW YORK SEED
IMPROVEMENT PROJECT**

103C Leland Lab
Cornell University
Ithaca, NY 14853

Phone 607-255-9869

Fax 607-255-9048

Philip M. Atkins, Manager

Email: pma3@cornell.edu

NYSIP@cornell.edu

**Dr. Keith L. Perry
Director, Foundation Seed Program**

Plant Pathology
Cornell University
Ithaca, NY 14853

607-254-8243 Phone

607-255-4471 FAX

Email: klp3@cornell.edu

**NEW YORK STATE DEPARTMENT OF
AGRICULTURE AND MARKETS**

INSPECTORS

Saeed Akhtar
Division of Food Safety & Inspection
10B Airline Drive, Albany, NY 12235
518-457-2090

Tom Tubbs
New York State Fairgrounds
Art and Home Center, Syracuse, NY 13209
315-487-0998

Joshua Gutenmann
Division of Food Safety & Inspection
10B Airline Drive, Albany, NY 12235
518-457-2090

SHIPPING POINT INSPECTIONS

This service is under the supervision of the
New York State Department of Agriculture & Markets.
For appointments, please contact the closest office.

Albany

George Spohn
Supervising Farm Products Inspector
NYS Department of Agriculture & Markets
10B Airline Drive, Albany, NY 12235
518-457-2090

Syracuse

Tom Tubbs
Supervising Farm Products Inspector
Division of Food Safety and Inspection
NYS Fairgrounds, Art and Home Center,
Syracuse, NY 13209
585-427-0200